

USER'S GUIDE
Ben-Ari C-- Compiler and Concurrent PCODE Interpreter
Bill Bynum/Tracy Camp
College of William and Mary/Colorado School of Mines
February 15, 2000

1. Introduction

The purpose of this document is to provide a brief description of the C-- Ben-Ari Compiler and Concurrent PCODE Interpreter programs and a description of how to use them. The C-- compiler first compiles the user's program into an intermediate object code called PCODE, which the interpreter then executes. Like the Ben-Ari Pascal compiler, the C-- compiler supports binary and counting semaphores and Hoare monitors. The interpreter simulates concurrent process execution.

The Pascal version of the compiler and the interpreter were originally procedures in a program written by M. Ben-Ari, based on the original Pascal compiler by Niklaus Wirth. The program source was included as an appendix in Ben-Ari's book, "Principles of Concurrent Programming". The original version of the BACI compiler and interpreter was created from that source code and was hosted on a PRIME mainframe. After several modifications and additions, this version was ported to a PC version in Turbo Pascal, then to Sun Pascal, and to C. Finally, the compiler and interpreter were split into two separate programs. Recently, the C-- compiler was developed to compile source programs written in a restricted subset of C++ into PCODE executable by the interpreter. The syntax for the C-- compiler is explained below.

2. C-- Compiler Syntax

1. As in C++, comments can be delimited with `/*` and `*/` or `/**`.
2. There are no files other than standard input and output: `cout`, `cin`, and `endl` behave in C-- BACI as in standard C++. The main program must have one of the following forms:

```
int main ()  
void main ()  
main ()
```

3. The only simple C/C++ types available in C-- BACI are `int`, and `char`. There are also other types related to the control of concurrency; these will be discussed below.

All variables must be declared at the beginning of the code block in which they appear. In particular, the index variable of a `for` loop cannot be declared in the loop header, but instead must be declared at the beginning of the block containing the `for` loop.

4. A `string` type is supported. To declare a string, the length of the string must be specified. The following declaration defines a string of length 20:

```
string[20] string_name;
```

The length specifier should be the number of characters that the string should have and should not include space for the termination byte. The compiler takes care of reserving space

for the termination byte. The length specifier must be either a literal constant or a program constant.

The **string** keyword is used in the declaration of a function for declaring a parameter of type **string**:

```
void proc(string formal_parm)
```

This declaration asserts that **formal_parm** is of type **string[n]**, for some positive value of **n**. Parameters of type **string** are passed by reference. No check for string overrun is performed.

Built-in String Handling Functions

- **void stringCopy(string dest, string src);**
copies the **src** string into the **dest** string. No check for string overrun is performed. For example,

```
string[20] x;  
...  
stringCopy(x, "Hello, world!");  
stringCopy(x, "");
```

will initialize the string **x** to a well-known value. The second **stringCopy** resets the string **x** to a zero-length string.

- **void stringConcat(string dest, string src);**
concatenates the **src** string to the end of the **dest**. No check for string overrun is performed.
- **int stringCompare(string x, string y);**
has the same semantics as the **strcmp** function from the C string library: a positive number is returned if string **x** is lexicographically after the string **y**, zero is returned if the strings are equal, and a negative number is returned if string **x** is lexicographically before the string **y**.
- **int stringLength(string x);**
returns the length of the string **x**, not including the termination byte.
- **int sscanf(string x, rawstring fmt, ...);**
like the “real” **sscanf**, scans the string **x** according to the format string **fmt**, storing the values scanned into the variables supplied in the parameter list, and returns the number of items scanned. Only the **%d**, **%x**, and **%s** format specifiers of the real **sscanf** are supported. An additional format specifier **%q** (quoted string), unique to BACI, is supported. For this specifier, all characters delimited by a pair of double quotes (") will be scanned into the corresponding string variable. When the **%q** specifier is encountered in the format string, if the next non-whitespace character of the string being scanned is not a double quote, then the **%q** scan fails, and scanning of the string terminates.

The variables appearing after the format string are reference variables (that is, the ampersand (&) is not required).

In the following example, the value of **i** returned by the **sscanf** call will be 4, the value stored in the variable **j** will be 202, the value stored in the string stored in **string x** will be **alongstring**, the value stored in the variable **k** will be **0x3c03**, and the string stored in the string **y** will be a **long string**.

```

string[50] x,y;
int i,j,k;
stringCopy(x,"202 alongstring 3c03 \"a long string\");
i = sscanf(x,"%d %s %x %q",j,x,k,y);

```

- `void sprintf(string x, rawstring fmt,...);`
like the “real” `sprintf`, creates a string stored in the variable `x`, using the format string `fmt` and the variables following the format string.
The `%d`, `%o`, `%x`, `%X`, `%c`, and `%s` format specifiers are supported, in the full generality of the real `sprintf`. In addition, the `%q` format specifier will insert a doubly-quoted string into the output string. The `%q` format specifier is equivalent to the `\"%s\"` specifier.
For example, in the following code fragment

```

string[80] x;
string[15] y,z;

stringCopy(y,"alongstring");
stringCopy(z,"a long string");
sprintf(x,".%12d. .%-20s. .%q. .%08X.",202,y,z,0x3c03);

```

the string `x` becomes

```

.          202. .alongstring          . ."a long string". .00003C03.

```

5. Arrays of any valid type are supported. Array declaration follows the usual C syntax:

```

element_type arrayname[index1][index2][index3]...[indexN];

```

6. The keyword `typedef` is supported in C— BACI. For example, to make the variable name `length` synonym with `int`

```

typedef int length;

```

7. Constants (`const`) of simple types are supported:

```

const int m = 5;

```

8. In the declaration of variables of `int` and `char` types, initializers are supported. The value of the initializer must be a literal or program constant:

```

const int m = 5;
int j = m;
int k = 3;
char c = 'a';

```

9. Procedures and functions are supported. Standard scope rules apply. Recursion is supported. Parameter declarations are pass-by-value or pass-by reference:

```

int afunc( int a, /* pass-by-value */
           int& b ) /* pass-by-reference */

```

Each program must have a `main()` function of type `int` or `void`, and this function must be the last function in the source file. Execution begins with a call to `main()`.

10. The executable statements are `if-else`, `switch/case`, `for`, `while`, `do-while`, `break`, and `continue`. The syntax of these statements are as in standard C/C++. Bracketing of code is standard, i.e., `{ ... }`.
11. Standard C/C++ file inclusion is supported:

```
#include < ... >
#include " ... "
```

Both styles of `include` statement have the same semantics, because there is no “system” include directory.

3. Concurrency Constructs

a. `cobegin`:

A C— process is a `void` function. A list of processes to be run concurrently is enclosed in a `cobegin` block. Such blocks cannot be nested and must appear in the main program.

```
cobegin {
    proc1(...); proc2(...); ... ; procN(...);
}
```

The PCODE statements belonging to the listed procedures are interleaved by the interpreter in an arbitrary, ‘random’ order, so that multiple executions of the same program containing a `cobegin` block will appear to be non-deterministic. The main program is suspended until all of the processes in the `cobegin` block terminate, at which time execution of the main program resumes at the statement following the ending of the block.

b. `semaphores`:

The interpreter has a predeclared `semaphore` type. That is, a semaphore in C— is a non-negative-valued `int` variable (see definition below) that can be accessed only in restricted ways. The binary semaphore, one that only assumes the values 0 and 1, is supported by the `binarysem` subtype of the `semaphore` type. During compilation and execution, the compiler and interpreter enforce the restrictions that a `binarysem` variable can only have the values 0 or 1 and that `semaphore` type can only be non-negative.

Assignment to a `semaphore` or `binarysem` variable is allowed only when the variable is defined. For example, either of the following declarations is valid

```
semaphore s = 17;
binarysem b = 0;
```

The built-in procedure,

```
initialsem( semaphore, integer_expression );
```

is the only method available for initializing a semaphore of either type a runtime. In the call,

integer_expression

can be any expression that evaluates to an integer and is valid for the semaphore type (non-negative for a `semaphore` type, 0 or 1 for a `binarysem` type).

The procedures

```
p( semaphore ); // or equivalently, wait( semaphore )
```

and

```
v( semaphore ); // or equivalently, signal( semaphore )
```

are used by concurrently executing processes to synchronize their actions. These procedures provide the user with the only way to change a semaphore's value. The semantics of `p` and `v` are as follows:

- `p(sem);`
If `sem > 0`, then decrement `sem` by 1 and return, allowing `p`'s caller to continue.
If `sem = 0`, then put `p`'s caller to sleep.
- `v(sem);`
If `sem = 0` and one or more processes are sleeping on `sem`, then awake one of these processes. If no processes are waiting on `sem`, then increment `sem` by one. In any event, `v`'s caller is allowed to continue. Some implementations of `v` require that processes waiting on a semaphore be awakened in FIFO order (queuing semaphores), but BACI conforms to Dijkstra's original proposal by randomly choosing which process to re-awaken when a signal arrives.

c. monitors:

The monitor concept, as proposed by Hoare, is supported with some restrictions. A `monitor` is a C-- block, like a block defined by a procedure or function, with some additional properties. All functions in the `monitor` block are visible (that is, are callable entry procedures) from the outside of the block, but the `monitor` variables are not accessible outside of the block and can only be accessed by the `monitor` functions. In C--, a `monitor` can be declared only at the outermost, global level. Monitors can not be nested. A `monitor` can have an optional `init{}` block as its last block for initializing the values of the `monitor`'s variables. This code is run when the main program is started.

Only one procedure or function of the `monitor` block can execute at any one time. This feature makes it possible to use monitors to implement mutual exclusion. Use of monitors to control concurrency is advantageous, because all of the code controlling concurrency is located in the monitor and not distributed widely across callers, as is the case when semaphores are used.

Three constructs are used by the procedures and functions of a `monitor` to control concurrency: `condition` variables, `waitc` (wait on a condition), and `signalc` (signal a condition).

A `condition` variable can only be defined in a `monitor`, and thus, can only be accessed by the `monitor`'s processes. A `condition` never actually 'has' a value; it is somewhere to wait or something to signal. A `monitor` process can wait for a `condition` to hold or signal that a given `condition` now holds through the `waitc` and `signalc` calls.

`waitc` and `signalc` calls have the following syntax and semantics:

- `void waitc(condition cond, int prio);`
The `monitor` process (and hence, also the outside process calling the `monitor` process) is blocked and assigned the priority `prio` for being re-awakened (see `signalc` below). Note that this blocking action allows some other `monitor` process to execute, if one is ready.

- `void waitc(condition cond);`
This call has the same semantics as the `waitc` call above, but the wait is assigned a default priority of 10.
- `void signalc(condition cond);`
Wake some process waiting on `cond` with the smallest (highest) priority; otherwise, do nothing. Note this is quite unlike the semaphore `v` or `signal`, because `signalc` is a no-op if no one is waiting, whereas `v(sem)` increments `sem` if no one is waiting, thus “remembering” the action when future `p(sem)`’s occur.

The priority scheme can be used to implement a FIFO discipline in re-awakening waiters. If each `monitor` process increments a `monitor` variable associated with the current priority assigned to a `condition`, then successive `signalc`’s to the `condition` will awaken the sleeping processes in a FIFO order.

The C++ compiler provides an `int` function `empty(cond)` that returns 1 if there are no processes waiting in the queue of the condition `cond` and 0 otherwise.

Immediate Resumption Requirement: This is the requirement that a process waiting on a condition that has just been signaled should have priority in re-entering the `monitor` over new calls to `monitor` processes (those wanting to enter “from the top”). The requirement rests on the assumption that the `condition` that has just been signaled has more “urgent” business to perform than a new entry into the `monitor`. The Immediate Resumption Requirement is implemented in BACI by suspending the signaler of a condition and picking (at random) one of the waiters on the condition with the appropriate priority to run. Because of this, `monitor` procedures that `signalc` a condition typically do so as their last instruction.

The following example of an implementation of a general semaphore with a monitor illustrates the monitor syntax:

```

monitor monSemaphore {

    int semvalue;
    condition notbusy;

    void monP()
    {
        if (!semvalue)
            waitc(notbusy);
        else
            semvalue--;
    }

    void monV()
    {
        if (empty(notbusy))
            semvalue++;
        else
            signalc(notbusy);
    }

    init{ semvalue = 1; }

} // end of monSemaphore monitor

```

d. Other Concurrency Constructs:

BACI C— provides several low-level concurrency constructs that can be used to create new concurrency control primitives:

- **atomic** keyword

If a function is defined as **atomic**, then the function is *non-preemptible*. The interpreter will not interrupt an **atomic** function with a context switch. This provides the user with a method for defining new primitives. The following program illustrates how a **test_and_set** primitive can be defined and used to enforce mutual exclusion:

```
atomic int test_and_set(int& target) {
    int u;
    u = target;
    target = 1;
    return u;
}

int lock = 0;

void proc(int id) {
    int i = 0;
    while(i < 10) {
        while (test_and_set(lock)) /* wait */ ;
        cout << id;
        lock = 0;
        i++;
    }
}

main() {
    cobegin { proc(1); proc(2); proc(3); }
}
```

- **void suspend(void);**

suspend() puts the calling thread to sleep.

- **void revive(int process_number);**

This function revives the process with the given number.

- **int which_proc(void);**

This function returns the process number of the current thread.

- **int random(int range);**

This function returns a “randomly chosen” integer between 0 and **range** - 1, inclusive. It uses a different random number generator stream than the one used by the interpreter; that is, **random()** calls do not affect interpreter execution.

These functions can be used to create a “fair” (FIFO) queued semaphore. The code to accomplish this is beyond the scope of this user’s guide.

4. Using the Ben-Ari C— Compiler and PCODE Interpreter

There are two steps to executing a program in BACI.

1. Compile a “.cm” file to obtain a “.pco” file.

Usage: `bacc [optional_flags] source_filename`

Optional flags:

```
-h show this help
-c make a .pob object file for subsequent linking
```

The name of the source file is required. If missing, you will be prompted for it. The file suffix “.cm” will be appended if you don’t supply it.

2. Interpret a “.pco” file to execute the program

Usage: `baininterp [optional_flags] pcode_filename`

Optional flags:

```
-d enter the debugger, single step, set breakpoints
-e show the activation record (AR) on entry to each process
-x show the AR on exit from each process
-t announce process termination
-h show this help
-p show PCODE instructions as they are executed
```

The name of the PCODE file is required. If missing, you will be prompted for it. The file suffix “.pco” will be appended to the filename you give.

It is not necessary to recompile the source file each time that you execute the .pco file with `baininterp`.

There is a shell script, `baccint`, that will call the compiler and then call the interpreter for you. It passes the options that you give it (see above) along to the interpreter.

5. Sample program and output

The following listing was produced by the C -- Ben-Ari compiler. The number to the right of the line number is the PCODE offset of the instruction that begins that line. The Ben-Ari compiler creates this listing from the file “`incremen.cm`”. The listing is placed in the file “`incremen.lst`”. An “`incremen.pco`” file is also created; this file is used by the interpreter.

BACI System: C-- to PCODE Compiler, 10:31 21 Oct 1997

Source file: `incremen.cm` Fri Sep 8 16:51:00 1995

```
line pc
 1  0  const int m = 5;
 2  0  int n;
 3  0
 4  0  void incr(char id)
 5  0  {
 6  0      int i;
 7  0
 8  0      for(i = 1; i <= m; i = i + 1)
 9 14  {
10 14      n = n + 1;
11 19      cout << id << "  n =" << n << "  i =";
12 25      cout << i << " " << id << endl;
```



```

13 31   }
14 32   }
15 33
16 33 main()
17 34 {
18 34     n = 0;
19 37     cobegin
20 38     {
21 38         incr( 'A'); incr( 'B' ); incr('C');
22 50     }
23 51     cout << "The sum is " << n << endl;
24 55 }

```

The following listing was produced by the Ben-Ari interpreter. The interpreter executes the program that was compiled into the file "inremen.pco".

Source file: inremen.cm Wed Oct 22 21:18:02 1997

Executing PCODE ...

```

C n =1 i =A n =1 C2 i =
1 A
C n =4 i =2 C
B n =A n =5 i =24 A
i =1 B
AC n = n =6 i =3 C6 i =3
A
C n =7 i =4 C
B n =9 i =2 BA n =8
i =4 A
C n =8 i =5 A n =9C
i =5 A
B n =10 i =3 B
B n =11 i =4 B
B n =12 i =5 B
The sum is 12

```